



Frame made of pressed steel - white zinc. Swivel head mounted on two ball bearings with plastic dust cover. Wheel axle bolt/nut.

Wheel center made of **polypropylene**, tread made of **gray non-marking** rubber (85 Shore A), without protective center disc, center mounted on **sliding** bearing.

**In case the product is not in stock in sufficient quantity, its delivery time can be up to 120 days.**

## Selected variant

<b>Product name</b>	
<b>Product code</b>	27225
<b>Load capacity (kg)</b>	110
<b>Width B (mm)</b>	37,5
<b>Board size S (mm)</b>	85x100
<b>Fastening</b>	Deska
<b>Diameter D (mm)</b>	125
<b>Hole spacing R (mm)</b>	60x80
<b>Brake</b>	-
<b>Length L (mm)</b>	-
<b>Hole / Thread</b>	-
<b>Height H (mm)</b>	157

## Variants

Product name	Product code	QTY	Load capacity (kg)	Width B (mm)	Board size S (mm)	Fastening	Diameter D (mm)	Hole spacing R (mm)	Brake	Length L (mm)	Hole / Thread	Height H (mm)
	27221	0	60	25	85x100	Deska	80	60x80	-	-	-	106

### A components s.r.o.

Bohunická 493/81

619 00 Brno

Web: [www.acomponents.cz](http://www.acomponents.cz)

E-mail: [info@acomponents.cz](mailto:info@acomponents.cz)

Telefon: 511 188 963

### Maloobchodní prodej

Standardizované komponenty můžete objednávat také v našem e-shopu.

Skladové zboží expedujeme obvykle do 48 hodin od potvrzení objednávky.

Product name	Product code	QTY	Load capacity (kg)	Width B (mm)	Board size S (mm)	Fastening	Diameter D (mm)	Hole spacing R (mm)	Brake	Length L (mm)	Hole / Thread	Height H (mm)
	27222	0	60	25	85x100	Deska	80	60x80	+	-	-	106
	27223	0	75	30	85x100	Deska	100	60x80	-	-	-	127
	27224	0	75	30	85x100	Deska	100	60x80	+	-	-	127
	27225	2	110	37,5	85x100	Deska	125	60x80	-	-	-	157
	27227	0	130	40	85x100	Deska	150	60x80	-	-	-	181
	27228	0	130	40	85x100	Deska	150	60x80	+	-	-	181
	27229	0	180	50	115x141	Deska	200	80x105	-	-	-	242
	27230	0	180	50	115x141	Deska	200	80x105	+	-	-	242
	27234	0	130	40	85x100	Pevné	150	60x80	-	-	-	181
	27235	0	180	50	115x141	Pevné	200	80x105	-	-	-	242
	27236	0	60	25	-	Díra	80	-	-	-	12	106
	27238	0	75	30	-	Díra	100	-	-	-	12	127
	27233	2	110	37,5	85x100	Pevné	125	60x80	-	-	-	157
	27237	0	60	25	-	Díra	80	-	+	-	12	106
	27242	0	130	40	-	Díra	150	-	-	-	12	181
	27240	2	110	37,5	-	Díra	125	-	-	-	12	157
	27241	2	110	37,5	-	Díra	125	-	+	-	12	157
	27239	2	75	30	-	Díra	100	-	+	-	12	127
	27243	0	130	40	-	Díra	150	-	+	-	12	181
	27244	0	180	50	-	Díra	200	-	-	-	12	242
	27245	0	180	50	-	Díra	200	-	+	-	12	242
	27247	0	60	25	-	Šroub	80	-	+	30	M16	106
	27248	0	75	30	-	Šroub	100	-	-	30	M16	127
	27246	0	60	25	-	Šroub	80	-	-	30	M16	106
	27250	0	110	37,5	-	Šroub	125	-	-	30	M16	157
	27249	0	75	30	-	Šroub	100	-	+	30	M16	127
	27251	0	110	37,5	-	Šroub	125	-	+	30	M16	157

**A components s.r.o.**

Bohunická 493/81

619 00 Brno

 Web: [www.acomponents.cz](http://www.acomponents.cz)

 E-mail: [info@acomponents.cz](mailto:info@acomponents.cz)

Telefon: 511 188 963

**Maloobchodní prodej**

Standardizované komponenty můžete objednávat také v našem e-shopu.

Skladové zboží expedujeme obvykle do 48 hodin od potvrzení objednávky.

Product name	Product code	QTY	Load capacity (kg)	Width B (mm)	Board size S (mm)	Fastening	Diameter D (mm)	Hole spacing R (mm)	Brake	Length L (mm)	Hole / Thread	Height H (mm)
	27252	0	130	40	-	Šroub	150	-	-	30	M16	181
	27253	0	130	40	-	Šroub	150	-	+	30	M16	181
	27254	0	180	50	-	Šroub	200	-	-	35	M16	242
	27255	0	180	50	-	Šroub	200	-	+	35	M16	242
	27232	2	75	30	85x100	Pevné	100	60x80	-	-	-	127
	27231	4	60	25	85x100	Pevné	80	60x80	-	-	-	106
Industrial wheel with PP disc, plain bearing, gray rubber	27226	1	110	37,5	85x100	Deska	125	60x80	+	-	-	157